


# Lump Breakers DLP



## EFFICIENT LUMP BREAKING

The DLP Lump Breaker is an efficient, economical machine specially designed for disintegrating friable lumps in bulk materials discharged from silos, bins or hoppers.


It is the ideal device for breaking up brittle material agglomerates that have formed during handling or processing. Quick rotation of special chopping knives through a removable grid does the job. The presence of two rotor shafts results in high throughput rates.



### MATERIALS HANDLED

- Ammonium Nitrate
- Barium Nitrate
- Boric Acid
- Carbon Black
- Citric Acid
- Clay
- Glucose
- Magnesium Sulphate
- Salt
- Sodium Nitrate
- Sugar
- Talcum
- Urea
- and many others

### Overall Dimensions



TYPE	A	B	C	D	E	F	G	Flange Drillings		m³/h	kW		kg
								Qty	ØH				
DLP 035	375	320	490	640	210	800	90	20	12.5	25 ~ 35	2.2	3.0	250
DLP 050	525	440	655	820	230	1,010	120	20	15.5	40 ~ 50	4.0	5.5	340

Dimensions in mm

## Benefits



**Sturdy and compact**



**Economical lump breaking**





**Cutting tools specially designed and sized for friable lumps**



**Technical support and worldwide availability of spare parts thanks to WAMGROUP® subsidiary network**

## Technical Features

- Material: carbon steel, 304L stainless steel
- Two sizes available: 25 and 50 m<sup>3</sup>/h (15 and 30 cfm)
- Contains two rotor shafts equipped with chopping knives and removable clearance reducing grid
- Drive unit with fixed speed gear motor
- ATEX-certified version 



## Industries



Animal Feed Milling



Food Processing



Plastics Processing



Chemicals



Glass Processing



Paint and Varnish Processing



Environmental Technology



Drymix Processing



Ceramics Production



Foundries



# Application



203001805 May 2024 Rights reserved to modify technical specifications.

This brochure has been edited for distribution in European Union countries.



[www.wamgroup.com](http://www.wamgroup.com)